

HEAVY DUTY FOOTPATH

100mm min GAP40 Granular Basecourse (or equivalent

approved by the Transport

Assets Manager, ACC).

NOTES

1 Refer to ACC Standard Detail Drawings for the following details :— Pram Crossings — 2008/0609; Kerbs and Channels — 2008/0201.

Firm Natural Clay If otherwise

contact Engineer (Refer Note 5). -

- 2. All Services Lids to be raised or lowered to be flush with footpath levels.
- 3. If the footpaths are to be used by a significant number of wheelchairs then a crossfall of no more than 3% is preferred. Otherwise maximum crossfall shall be 4%.
- 4. Refer to Drawing No. 2008/0608 for Footpath Construction Notes.
- 5. Basecourse layer depth to be increased for weak subgrade (CBR<3).

