Drawing set for Chapter 12 - Footpaths and Pedestrian Facilities

DRAWING SET INDEX

SHEET No.	TITLE	VERSION
FP001	CONCRETE FOOTPATH	4.0
FP002	LONGITUDINAL JOINTS AND STITCHING BAR DETAILS	4.0
FP003	ASPHALT FOOTPATH	5.0
FP004	ASPHALT/PAVER COMBINATION FOOTPATH	4.0
FP005	COMMERCIAL CENTRE CONCRETE FOOTPATH	3.0
FP006	FOOTPATH CONSTRUCTION – PAVER TYPE	4.0
FP007	ASPHALT FOOTPATH AND VEHICLE CROSSING REPAIR DETAILS	3.0
FP008	FOOTPATH EDGING DETAIL	3.0
FP009	PRAM CROSSING	5.0
FP010	FOOTPATH RETAINING WALLS <1.0m HIGH	4.0
FP011	PEDESTRIAN CROSSING - SIDE ISLAND	4.0
FP012	PEDESTRIAN CROSSING — CENTRE ISLAND	4.0
FP013	TYPICAL PEDESTRIAN REFUGE ISLAND	4.0


REVISION	BY	DATE	Γ
			l
			l
	Ш		l
	ᆫ		l
	ᆫ	Ш	l
	Ш		l



AUGKLAND	TRANSPORT
CODEOF	PRAGTIGE

SCALE: N.T.S.

TITLE FOOTPATHS & PEDESTRIAN FACILITIES DRAWING SET INDEX




HEAVY DUTY FOOTPATH


- Refer to Auckland Transport Standard Detail Drawings for the following details:

 Pram Crossings Plan No. FP009
 Kerbs and Channels Refer to Drawing Set GD000
- 2. Minimum footpath width is 1800mm. Maximum footpath width is 3000mm
- 3. All Services Lids must be raised or lowered to be flush with footpath levels.
- 4. Concrete to have minimum compressive strength of 20MPa at 28th day unless otherwise specified by the relevant AT Engineer
- 5. Basecourse (or bedding) layer depth must be increased for weak subgrade (CBR<3). As directed by the relevant AT engineer
- 6. Concrete surface finish must comply with NZS 3114 and AS/NZS 3661 Slip resistance of Pedestrian Surfaces

REVISION	BY DATE	Auckland 🎇	AUGKLAND TRANSPORT CODE OF PRACTICE	SCALE: N.T.S.
		Transport An Auckland Council Organisation	CONCRETE FOOTPATH	DRAWING No. FP001 VERSION 4.0




LONGITUDINAL JOINTS CROSS SECTION





STITCHING BAR PLAN DETAIL

- 1. Refer to Auckland Transport Standard Detail Drawing FP001 for footpath details
- 2. All Services Lids must be raised or lowered to be flush with footpath levels.
- 3. Concrete to have minimum compresion of 20MPa at 28th day unless otherwise specified by the relevant AT Engineer
- Concrete surface finish much comply with NZS 3114 and AS/NZS 3661 Slip resistance of Pedestrian Surfaces

REVISION BY	DATE	Auckland 🖇 🔼	AUGKLAND TRANSPORT CODE OF PRACTICE	scale: N.T.S.
		Transport An Auckland Council Organisation	AND STITCHING BAR	FP002 VERSION 4.0








HEAVY DUTY FOOTPATH

- Refer to Auckland Transport Standard Detail Drawings for the following details: Pram crossings — Plan No. FP009 Kerbs and Channels — Refer to Drawing Set GD000
- 2. Minimum footpath width is 1800mm. Maximum footpath width is 3000mm.
- 3. All Services Lids must be raised/lowered to be flush with Footpath levels.
- 4. Footpath crossfall is to be 2% minimum and 3% maximum..
- 5. Basecourse or Bedding Layer depth must be increased for weak subgrade (CBR<3), as directed by the relevant AT Engineer

REVISION	BY DA		_	AUGKLAND TRANSPORT S	CALE: N.T.S.
		Auckland Transport An Auckland Council Organization	ク	ASPHALT FOOTPATH	PRAWING No. FP003 PERSION 5.0




replaced with AP65 subbase laid and compacted in 150mm thick layers or other remedial treatments.

- 3. Minimum footpath crossfall to be 2% away from buildings which allows the footpaths to be self cleaning with rainfall.
- 4. All concrete strength to be minimum 20MPa @ 28 days.
- 5. Concrete Types:
 - i) Exposed Aggregate Concrete: Hawkes Bay River Pebble and McCallum Chip (max 10 mm) aggregate or similar as approved by the relevant AT Engineer.
 - ii) When using McCallum $\,$ chip exposed aggregate, red oxide must be added at $3 \mbox{Kg/m3}$
- 6. Concrete Finish:

All concrete must comply with NZS 3114 (Specification for Concrete Surface Finishes) and AS/NZS 3661 (Slip Resistance of Pedestrian Surfaces).


McCallum Chip




Fozzilcrete


SAMPLE IMAGES
N.T.S.

REVISION BY DATE	Auckland 🌺 🔼	CODE OF PRACTICE	SCALE: N.T.S.
	Transport An Auckland Council Organisation	COMMERCIAL CENTRE	PRAWING No. FP004 VERSION 2.0



PAVER BAND AND ASPHALT CONSTRUCTION





TYPICAL JUNCTION

NOTES

- Refer to Auckland Transport Standard Detail Drawings for the following details: Pram crossings - Plan No. FP009, Kerbs and Channels - Section Auckland Transport Standard drawing set GD000
- All Services Lids must be raised/lowered to be 2. flush with Footpath levels.
- All work in accordance with "NZS 3116:2002 -Concrete Segmental and Flagstone Paving (Including Amendment No.1.
- All Pavers and Decorative Concrete requires specific design and approval.

REVISION	BY	DATE
		Н
		Н






AUCKLAND TRANSPORT

CODE OF PRACTICE

SCALE: N.T.S.


DRAWING No. FP004 VERSION

TITLE ASPHALT/PAVER COMBINATION FOOTPATH



- 1. All dimensions are in millimetres unless noted otherwise.
- 2. Compact subgrade to CBR ≥ 4. Soft spots to be identified and notified to the ralevant AT Engineer who may instruct the soft spots to be dug out and
 - replaced with AP65 subbase laid and compacted in 150mm thick layers or other remedial treatments.
- 3. Minimum footpath crossfall to be 2% away from buildings which allows the footpaths to be self cleaning with rainfall.
- 4. All concrete strength to be minimum 20MPa @ 28 days.
- 5. Concrete Types:
 - i) Exposed Aggregate Concrete: Hawkes Bay River Pebble and McCallum Chip (max 10 mm) aggregate or similar as approved by the relevant AT Engineer.
 - ii) When using McCallum chip exposed aggregate, red oxide must be added at 3Kg/m3
- 6. Concrete Finish:

All concrete must comply with NZS 3114 (Specification for Concrete Surface Finishes) and AS/NZS 3661 (Slip Resistance of Pedestrian Surfaces).



JOINT DETAIL

Hawkes Bay River Pebble



McCallum Chip



Fozzilcrete SAMPLE IMAGES N.T.S.

REVISION	BY	DATE	
	Г		






TRANSPORT AUGKLAND CODE OF PRACTICE


SCALE: N.T.S.

DRAWING No. FP005 VERSION

TITLE COMMERCIAL CENTRE CONCRETE FOOTPATH



TYPICAL CROSS SECTION



TYPICAL PLAN VIEW

NOTES

- Refer to Auckland Transport Standard Detail Drawings for the following details:


 Pram crossings Plan No. FP009
 Kerbs and Channels Section GD000.
- 2. All Services Lids must be raised or lowered must be flush with footpath levels.
- 3. All work in accordance with NZS 3116:2002 Concrete Segmental and Flagstone paving and Suppliers Instructions.
- 4. Basecourse Layer depth must be increased for weak subgrade (CBR<3), as directed by the relevant AT Engineer

REVISION	E	DATE			UCKLAND
			Auckland 4		CODEOF
			Transport 📥	TITLE	FOOTPATH CO
	-+	+	An Auckland Council Organisation		PAVER
	_	+			

AUGKLAND TRANSPORT
GODE OF PRAGTICE

scale: N.T.S.

OOTPATH CONSTRUCTION PAVER TYPE




FOOTPATH REPAIR DETAIL

Sow with Grass Seed Mix -15% Chewings Fescue; 7.5% Brown Top;

7.5% Crested Dogs Tail;

Clean Topsoil compacted 70% Perennial Rye grass (by weight) depth 100mm Backfill material must be free of organic material and free of lumps > 100mm. Compact in layers not exceeding 200mm

VERGE REINSTATEMENT DETAIL



NOTES:

- In areas of Asphalt, if the edge of the repair is within 1m of a Construction Joint, crack or the edge of existing pavement, then the existing pavement within this zone must be replaced as part of the repair.
- In the areas of Concrete, if the centre of the repair is within 2m of a construction joint, crack or edge of the existing pavement, then the existing pavement within this zone must be replaced as part of the repair.
- All Asphalt must be laid on Cat 60 Emulsion Tack Coat which has been sprayed evenly.

TITLE

REVISION	BY	DATE	
			,
			′




TRANSPORT AUGKLAND CODE OF PRACTICE

SCALE: N.T.S.

ASPHALT FOOTPATH AND VEHICLE CROSSING


DRAWING No. FP007 **VERSION**

REPAIR DETAILS



Drawing set for Chapter 12 - Footpaths and Pedestrian Facilities


TYPICAL FOOTPATH CROSS SECTION



Note:

- 1. All timber must be H4 treated.
- 2. The timber thicknesses and depths shown are minimum only and where site conditions require the dimensions are to be increased to suit or as directed by the relevant AT Engineer.

REVISION	BY I	DATE	Auckland 🌺		CODE OF		NSPORT TIGE	SCALE: N.7	T.S.
	H		Transport An Auckland Council Organisation FOOTPATH EDGING DETAIL						<u>No.</u> 3
	H					Dania		VERSION	3.0



NOTES

- This crossing design complies with the requirements of the Disabled Persons Act and the Building Act.
- 2. Desirable grade is 1 in 20, with maximum grade 1 in 12.
- 3. Edge of crossing to be finished flush with existing channel. (No Lip, maintain common surface).
- 4. Tactile Ground Surface Indicator (TGSI) must be installed in a accordance with:
 - NZTA RTS 14 Guidelines for facilities for blind and vision-impaired pedestrians.
 - AS/NZS 1428.4:2009 Design for access and mobility.
- 300x300mm sealed yellow concrete warning TGSI tiles are to have a 100mm thick concrete slab under them.
- 6. The crossing point should be oriented such that the leading edge of the crossing is perpendicular to the direction of travel.
- Consideration should be given to including Directional TGSIs in complex areas and where direction of travel needs to be made clear, but not at uncontrolled crossings.
- 8. Bluestone kerb blocks must not extend across a pram crossing.
- 9. The length of kerb upstand between kerb ramps shall be greater than 1m.
- 10. The pram crossing apart from the tactiles must be constructed in the same material and colour and/or texture as the adjacent footpath.
- Unless otherwise approved by the relevant AT Engineer, the pram crossing must be constructed in accordance with the requirements for a concrete footpath (Drawing FP001).

BY DATE


Auckland Transport


An Auckland Organisation


TITLE

REVISION

AUGKLAND TRANSPORT GODE OF PRAGTIGE SCALE: N.T.S.










REINFORCED CONCRETE / BLOCK WALL


- 1. All work is must be within the Road Reserve, unless specific approval has been obtained from the adjoining Landowner.
- 2. Minimum 70mm cover under footpath to be provided.

REVISION BY DATE	Auckland 🎇	AUGKLAND TRANSPORT CODE OF PRACTICE	SCALE: N.T.S.
	Transport An Auckland Council Organisation	FOOTPATH RETAINING WALLS - <1.0m HIGH	PPO10 VERSION 4.0









NOTES

 The existing paved surface (concrete or asphalt) must be coated with approved bonding agent prior to the placing of any mortar bedding or concrete backing material.

(90.)

WALK-THROUGH

- 2. Surface of island must have a crossfall of 10% or max rise to centre of 150mm.
- 3. Use radius blocks as required.
- 4. All sign posts are to be SS-3 type (Vertiflex Posts).
- 5. A minimum clearance of 300mm should be achieved between edge of any signs and kerb faces.
- 6. A minimum clearance of 300mm between kerb face and lane edge line should be achieved
- 7. RG 17 signs on traffic islands must be rotated 4-5° away from the driver viewing axis
- 8. No planting allowed on pedestrian refuge islands.

REVISION BY DATE	Auckland 🖇 🔼	AUGKLAND TRANSPORT CODE OF PRACTICE	SCALE: N.T.S.
	Transport An Auckland Council Organisation	TITLE PEDESTRIAN REFUGE ISLAND	FP013 VERSION 4.0