

Auckland Transport Monthly Indicators Report 2018/19

February 2019



1. Summary of indicators

- 1.1 SOI performance measures
- 1.2 AT Metro patronage breakdown

2. Monthly indicators by Key Priority

- 2.1 Deliver an efficient and effective transport system
- 2.2 Focus on the customer
- 2.3 Improve the safety of the transport system
- 2.4 Ensure value for money across AT's activities

1.1 SOI performance measures

Key Priority	Measure	SOI 2018/19 Year End Target	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Current Performance	Reference Page
Deliver an efficient and effective transport system	Total annual public transport boardings	96.3 million	●	●	●	●	●	●	●	●					12 month rolling total: 97,478,933	Page 8
	Total annual rail boardings (millions)	21.11 million	●	●	●	●	●	●	●	●					12 month rolling total: 20,894,632	Page 9
	Boardings on rapid or frequent network (rail, busway, FTN bus)	Increase at faster rate than total boardings	●	●	●	●	●	●	●	●					20.9% growth in RTN + FTN vs 5.7% growth in total boardings	Page 8
	New cycleways added to regional cycle network	10 km	●	●	●	●	●	●	●	●					YTD completion: 7.2 km	Page 11
	Number of cycle movements past selected count sites	3.644 million	●	●	●	●	●	●	●	●					YTD: 2,463,184 YTD target: 2,375,533	Page 11
	Active and sustainable transport mode share at schools where the Travelwise programme is implemented	40%													2017/18 result: 48%	Page 11
	Active and sustainable transport mode share for morning peak commuters, where the Travelwise Choices programme is implemented	40%													2017/18 result: 69%	Page 11
	Average AM peak arterial productivity	21,000	●	●	●	●	●	●	●	●					YTD average: 30,998	Page 12
	Proportion of the freight network operating at Level of Service C or better during the inter-peak	85%	●	●	●	●	●	●	●	●					YTD average: 93%	Page 16
Focus on the customer	Percentage of public transport passengers satisfied with their public transport service	85%			●			●							December 2018 result: 91%	Page 20
	PT punctuality (weighted average across all modes)	94.5%	●	●	●	●	●	●	●	●					YTD average: 97.1%	Page 22
	Percentage of local board members satisfied with AT engagement	Reporting to local board: 70%													2017 result: 56%	Page 24
		Consultation with local board: 70%													2017 result: 42%	Page 24
Percentage of customer service requests relating to roads and footpaths which receive a response within specified time frames	85%	●	●	●	●	●	●	●	●	●				12 month total: 80.8%	Page 24	

1.1 SOI performance measures

Key Priority	Measure	SOI 2018/19 Year End Target	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Current Performance	Reference Page
Improve the safety of the transport system	Number of high risk intersections and sections of road addressed by the safety programme	10													New measure, first result in March 2018	Page 26
	Change from the previous financial year in the number of fatalities and serious injury crashes on the local road network, expressed as a number.	Reduce by at least 9 2018 year-end target: 681	●	●	●	●	●	●	●	●					12 month rolling total to November 2018: 537 Note: 3-month lag	Page 26
Ensure value for money across AT's activities	PT farebox recovery	46–50%	●	●	●	●	●	●	●	●					February 2019 result: 44.2%	Page 27
	Percentage of the sealed local road network that is resurfaced	6.0%	●	●	●	●	●	●	●	●					YTD result: 4.3%	Page 27
	Percentage of road assets in acceptable condition (as defined by AT's AMP)	95%													New measure, first result in March 2019	Page 28
	Percentage of footpaths in acceptable condition (as defined by AT's AMP)	95%													2017/18 result: 99%	Page 28
	Road maintenance standards (ride quality) as measured by smooth travel exposure (STE) for all urban and rural roads	Urban 81%														2017/18 result: 84%
Rural 92%															2017/18 result: 95%	Page 28

- On target to exceed performance measure (more than 2.5% above target)
- On target to meet performance measure (within +/- 2.5% of target)
- Not on target to meet performance measure (more than 2.5% below target)

■ Data not available

1.2 AT Metro Boardings breakdown





	February - 2018/19 Actual v SOI									
	Month				YTD				SOI / Target 2018/19	Projected Forecast 2018/19
	Actual	% Change	SOI / Target	% Variance	Actual	% Change Prev Year	SOI / Target	% Variance		
1. Bus Total:	6,073,335	↑ 11.7%	5,533,000	↑ 9.8%	46,258,354	↑ 10.0%	43,709,000	↑ 5.8%	68,890,000	71,000,000
2. Train (Rapid) Total:	1,789,428	↑ 9.0%	1,706,353	↑ 4.9%	13,717,442	↑ 6.0%	13,456,971	↑ 1.9%	21,110,000	21,100,000
3. Ferry (Connector Local) Total:	591,276	↑ 7.2%	638,660	↓ -7.4%	4,221,658	↑ 4.5%	4,229,821	↓ -0.2%	6,300,000	6,300,000
Total Patronage	8,454,039	↑ 10.8%	7,878,013	↑ 7.3%	64,197,454	↑ 8.7%	61,395,792	↑ 4.6%	96,300,000	98,400,000
Rapid and Frequent	4,099,866	↑ 21.4%	3,000,003	↑ 36.7%	31,559,051	↑ 25.0%	23,509,689	↑ 34.2%	36,786,000	43,100,000

	February - 2018/19											
	Month Patronage					12 Month Patronage				YTD (from July)		
	This Year	Previous Year	# Change	% Change	Normalised % Change	Patronage	% Change Prev Month	Change Prev Year	% Change Prev Year	Patronage	Change Prev Year	% Change Prev Year
1. Bus Total:	6,073,335	5,436,628	636,707	11.7%	11.7%	70,359,312	0.9%	5,125,330	7.9%	46,258,354	4,191,376	10.0%
- Busway (Rapid) Bus	607,143	438,700	168,443	38.4%		6,355,315	2.7%	1,041,842	19.6%	4,330,084	896,937	26.1%
- Frequent Bus	1,703,295	1,296,645	406,650	31.4%		19,560,646	2.1%	6,659,447	51.6%	13,511,525	4,627,930	52.1%
- Connector Local Targeted Bus	3,762,897	3,701,283	61,614	1.7%		44,443,351	0.1%	-2,575,959	-5.5%	28,416,745	-1,333,491	-4.5%
2. Train (Rapid) Total:	1,789,428	1,641,765	147,663	9.0%	11.3%	20,894,632	0.7%	491,232	2.4%	13,717,442	780,878	6.0%
- Western Line	636,922	570,975	65,946	11.5%		7,146,085	0.9%	-4,272	-0.1%	4,664,188	151,096	3.3%
- Eastern Line	498,197	466,344	31,854	6.8%		6,137,596	0.5%	342,229	5.9%	4,074,135	360,843	9.7%
- Onehunga Line	93,926	88,932	4,994	5.6%		1,127,197	0.4%	-22,892	-2.0%	749,564	8,366	1.1%
- Southern Line	513,462	480,165	33,297	6.9%		5,986,648	0.6%	84,346	1.4%	3,891,559	177,949	4.8%
- Pukekohe Line	46,921	35,349	11,572	32.7%		497,105	2.4%	91,821	22.7%	337,996	82,625	32.4%
3. Ferry (Connector Local) Total:	591,276	551,751	39,525	7.2%		6,224,989	0.6%	153,770	2.5%	4,221,658	182,023	4.5%
- Contract	125,549	114,268	11,281	9.9%		1,455,052	0.8%	104,778	7.8%	954,818	86,635	10.0%
- Exempt Services	465,727	437,483	28,244	6.5%		4,769,937	0.6%	48,992	1.0%	3,266,840	95,388	3.0%
Total Patronage	8,454,039	7,630,144	823,895	10.8%		97,478,933	0.9%	5,770,332	6.3%	64,197,454	5,154,277	8.7%
Rapid and Frequent	4,099,866	3,377,110	722,756	21.4%		46,810,593	1.6%	8,192,521	21.2%	31,559,051	6,305,745	25.0%
Connector Local Targeted	4,354,173	4,253,034	101,139	2.4%		50,668,340	0.2%	-2,422,189	-4.6%	32,638,403	-1,151,468	-3.4%
Total Patronage	8,454,039	7,630,144	823,895	10.8%	11.3%	97,478,933	0.9%	5,770,332	6.3%	64,197,454	5,154,277	8.7%

* Normalised % - Change is done at the mode level, as special events is not available at lower service layers.

* Rapid calculation for busway amended from NEX route plus Busway (4 locations – Akoranga, Smales, Sunnynook, Constellation) Inbound Boardings & Outbound alighting to being all routes Inbound from Albany to Fanshawe St & Outbound Akoranga to Albany in line with New Network North.

1.2 AT Metro Boardings breakdown



1. Summary of indicators


- 1.1 SOI performance measures
- 1.2 AT Metro patronage breakdown

2. Monthly indicators by Key Priority

- 2.1 Deliver an efficient and effective transport system
- 2.2 Focus on the customer
- 2.3 Improve the safety of the transport system
- 2.4 Ensure value for money across AT's activities


2.1 Deliver an efficient and effective transport system

2.1.1 Total public transport boardings (millions)




PT patronage totalled 97,478,933 passenger boardings for the 12 months to February 2019, an increase of 0.9% on the 12 months to January 2019 and an increase of 6.3% on the 12 months to February 2018.

2.1.2 Monthly public transport boardings (millions)



February 2019 monthly patronage was 8,454,039, an increase of 10.8% (823,895) on February 2018. The normalised change is an increase of ~11.3% once adjustments are made to take into account special events and the number of business and weekend days in the month.

2.1.3 Boardings on rapid or frequent network




AT has an SOI target of increasing RTN and FTN boardings at a faster rate than total boardings.

This figure shows the 12 month rolling patronage total for each PT service layer. Rates of growth are based on the 12 month rolling total to February 2019 compared with the 12 month rolling total to February 2018.

RTN + FTN patronage increased by 21.2% for the 12 months to February 2019, a faster rate than total patronage, which increased by 6.3%.


2.1 Deliver an efficient and effective transport system

2.1.4 Rail boardings (12 month rolling total)




Rail patronage totalled 20,894,632 passenger boardings for the 12 months to February 2019, an increase of 0.7% on the 12 months to January 2019 and an increase of 2.4% on the 12 months to February 2018.

2.1.5 Bus boardings (12 month rolling total)



Bus patronage totalled 70,359,312 passenger boardings for the 12 months to February 2019, an increase of 0.9% on the 12 months to January 2019 and an increase of 7.9% on the 12 months to February 2018.


2.1.6 Ferry boardings (12 month rolling total)



Ferry patronage totalled 6,224,989 passenger boardings for the 12 months to February 2019, an increase of 0.6% compared with the 12 months to January 2019, and an increase of 2.5% compared with the 12 months to February 2018.

2.1 Deliver an efficient and effective transport system


2.1.7 Rail business day average boardings



Business day boardings on the rail network averaged 73,211 in the 12 months to February 2019.

This represents a 3.4% increase on the February 2018 figure.


2.1.8 Bus business day average boardings



Business day boardings on the bus network averaged 240,869 in the 12 months to February 2019.

This represents a 7.4% increase on the February 2018 figure.


2.1.9 Percentage of all PT trips using AT HOP



The proportion of all trips using AT HOP was 87.0% in February 2019 (bus 92.9%, rail 84.3%, ferry 40.0%) up from 84.4% in January 2019.

2.1 Deliver an efficient and effective transport system

2.1.10 New cycleways added to regional cycle network (km)




The 2018/19 target is to complete 10 km of new cycleways.

Several projects that were due to be complete in Q4 2018/19 have been delayed. The updated schedule is expected to deliver 7.9km of new cycleway.

YTD: 7.2 km

No new cycleways were completed in February 2019.


2.1.11 Annual number of cycle movements past selected sites



Target exceeded.
 YTD: 2,463,184 (3.7% above target)
 YTD target: 2,375,533

367,900 cycle trips were recorded in February 2019, against a target of 335,980.

2.1.12 Active and sustainable transport mode share




Target reported annually in June.

The 2017/18 active and sustainable transport mode share was 48% at schools with the Travelwise programme and 69% for AM peak commuters with a Travelwise Choices programme.

2.1 Deliver an efficient and effective transport system

2.1.13 Average AM peak lane productivity



Target exceeded.


In February 2019, the average arterial road productivity was 31,296, exceeding the target of 21,000. Year to date average productivity was 30,998.

This indicates that the network continued to operate relatively efficiently in terms of people movement during the peak hour. The productivity is lower than January 2019 due to the relatively lower operating speed across the network due to the increased commuting and school-related trips in February.

The key arterial routes included in this measure are shown in figure 2.1.15.

Road productivity is a measure of the efficiency of the road in moving people during the peak hour. It is measured as the product of number of vehicles (including buses), their average journey speed and average vehicular occupancy. For urban arterials a value of 21,000 people-km/hour/lane is set as a target. This value is derived from the route productivity target of 55% included previously, and is equivalent to the movement of approximately 900 vehicles travelling at a constant speed of 20km/h along the length of the arterial.

2.1.14 AM peak arterial road level of service



In February 2019, 65.3% of the network operated at good levels of service (LOS A-C). This is 25 percentage points lower (worse) than January 2019, attributable to the increased commuting and school-related trips, and 3 percentage points lower than February 2018, suggesting at the reoccurrence of the previous annual trend of 2-3% increase in congestion levels prior to the Waterview connection.

In the 12 months to February 2019, 77% of the network was operating efficiently (LOS A – C) during the AM Peak.

Level of service is measured by median speed as a % of the posted speed limit and categorised as follows:

- A: 90% and greater
- B: 70 – 90%
- C: 50 – 70%
- D: 40 – 50%
- E: 30 – 40%
- F: less than 30%

Level of service D–F broadly represent "congested" conditions.


2.1 Deliver an efficient and effective transport system

2.1.15 Map showing arterial productivity routes



This map shows the 30 monitored arterial routes used to determine the average AM peak period lane productivity (2.1.13).


2.1.16 Congestion map AM peak




This map shows the typical level of service across the arterial and motorway networks during the AM peak hour (7.30–8.30) for February 2019. See the AM peak arterial road level of service graph (2.1.14) for an explanation of the levels of service.

2.1 Deliver an efficient and effective transport system

2.1.17 Congestion map inter-peak




2.1.18 Congestion map PM peak



2.1 Deliver an efficient and effective transport system


2.1.19 Median travel speed across arterial and motorway network



This figure shows median travel speed across the arterial and motorway networks during the AM peak, inter-peak and PM peak periods. The average free flow speed of 58.4 km/hr has been provided as a comparator.

During February 2019, the median travel speed during the AM peak was 39 km/hr, compared with 47 km/hr in January 2019 and a 12 month rolling average of 42.2 km/hr.

2.1.20 Reliability: additional travel time needed relative to typical travel time



This figure shows the difference between the typical (median) and the 85th percentile* travel time, on the combined arterial and motorway network, for the AM peak, inter-peak and PM peak. This is a measure of reliability.


Reliability is a measure in percentage of how much variation a driver would experience from their day to day journey time in addition to a typical experience (median travel time), the smaller the percentage the better the reliability. Less than 50% additional travel time needed relative to typical travel time is regarded reliable in view of a driver's experience, 50%-70% is considered unreliable but tolerable and above 70% is deemed totally unreliable.

In the February 2019 AM peak, the 85th percentile was 55% longer than the typical travel time. The rolling average illustrates that the reliability remains at a desirable level during inter-peak period, whereas AM and PM peaks are mostly showing unreliable travel times. However, a consistent down trend is picked up from July 2017 onwards for both AM and PM peaks, indicating travel time reliability is gradually improving across the network.

*85% of all trips will take less time than the 85th percentile.

2.1 Deliver an efficient and effective transport system

2.1.21 Proportion of the freight network operating at Level of Service C or better during the inter-peak



Target exceeded.

In February 2019, 93% of the strategic freight network operated at good levels of service (LOS A-C), and 93% for the year to date.

Broken down by arterial and Motorway components, 89% and 96% respectively operated efficiently, indicating that freight vehicles had a particularly good experience on the Motorway. Of the segments that experienced some congestion, most tended to be at Motorway interchanges or near busy activity centres such as near town centres.


This is a new measure, as the SOI target for freight routes now measures the strategic freight network rather than five select routes.

Level of service is measured by median speed as a % of the posted speed limit and categorised as follows:

- A: 90% and greater
- B: 70 – 90%
- C: 50 – 70%
- D: 40 – 50%
- E: 30 – 40%
- F: less than 30%

Level of service D–F broadly represent "congested" conditions.


2.1.22 Map showing key freight routes



The freight network comprises key freight routes on key arterials and the Motorway network, as defined in the freight network map (above). The freight network Level of Service (LOS) is measured by average speed during the inter-peak period as a percentage of the posted speed limit for the freight network routes. LOS A, B and C represents efficient and stable traffic conditions with average travel speeds of at least 50% of the posted speed limit. At least 85% of the freight network is to operate at efficient levels.

2.1 Deliver an efficient and effective transport system

2.1.23 Parking occupancy rates (peak 4-hour, on street)




February 2019 on-street occupancy was 79.5%.
The 12 month rolling average in February 2019 is 77.5%.

In obtaining its on street occupancy figure AT has moved from a consultant survey to an internal data driven method using transactional data from Pay by Plate machines and AT Park May results have included 5% factor as the non-compliant component (made up of the small group of people that do not pay for parking).

Note: The four-hour peak period is defined as the top four busiest hours of the day. These hours are not often coincidental and can vary depending on contributing factors.

On-street parking occupancy is surveyed in three central city parking zone precincts: Shortland/High Street, Karangahape Road and Wynyard Quarter.


2.1.24 Off-street parking occupancy rates



The off-street parking occupancy rate for February 2019 of 78.2% is lower than the 80% to 90% occupancy target range.


AT off-street car parks monitored are those at Civic, Downtown and Victoria Car Parking Buildings.

2.1.25 Heavy vehicle permits processed



In February 2019, 92 overweight permit applications and 319 HPMV permit applications were processed. In total, all 411 permits were processed within the KPI target timeframes (2 days for single and multi trip, 3 days for continuous trip and 4 days for HPMV permits).

2.1.26 ATOC managed incidents




The figure shows the number of significant, serious, headline and catastrophic incidents managed by ATOC each month.

ATOC managed 251 significant incidents and 49 serious incidents during February 2019.

The Auckland Transport Operations Centre (ATOC) is a multi-agency initiative that manages incidents on both AT's local road and NZTA's state highway networks. The centre is responsible for managing incidents from Taupo to Cape Reinga.

2.1 Deliver an efficient and effective transport system

The following graphs demonstrate travel time reliability on six key arterial routes to and from the CBD. The median travel speed and 15th to 85th percentile range for car is shown for each route, and bus, train or bus and train where relevant.



Train and NEX travel (Rapid Transit Network) remains consistent through the day, and generally provides significant travel time savings for commuters during the peak periods.

In February 2019, there has been a 20-30% increase in travel time across these key origin-destination routes during peak hours compared to January 2019, which is largely attributable to the increased travel demand from commuting and school orientated trips. However, the bus travel time over the routes with bus priority provisions appears to be more consistent and continue to provide significant time savings relative to car mode.


Train provides the most reliable travel time across all modes, and achieves significant travel time saving of up to 20 minutes or more across all routes available to a train option during peak periods. This is especially the case for the Panmure to CBD route where the train is up to 20 minutes quicker than both car and bus alternatives throughout the day.

For the routes that lack continuous bus lane provision, bus travel times compare unfavourably relative to that for general traffic.

Note: Due to the changes of the New Eastern Bus Network, only Express Buses are servicing directly between Howick and CBD which operate during peak hours only.

2.1 Deliver an efficient and effective transport system

The following graphs demonstrate travel time reliability on six key arterial routes to and from the CBD. The median travel speed and 15th to 85th percentile range for car is shown for each route, and bus, train or bus and train where relevant.



Train and NEX travel (Rapid Transit Network) remains consistent throughout the day, and generally provides significant travel time savings for commuters during the peak periods.


In February 2019, there has been a 20-30% increase in travel time across these key origin-destination routes during peak hours compared to January 2019, which is largely attributable to the increased travel demand from commuting and school orientated trips. However, the bus travel time over the routes with bus priority provisions appears to be more consistent and continue to provide significant time savings relative to car mode.

Train provides the most reliable travel time across all modes, and achieves significant travel time saving of up to 20 minutes or more across all routes available to a train option during peak periods. This is especially the case for the Panmure to CBD route where the train is up to 20 minutes quicker than both car and bus alternatives throughout the day.

For the routes that lack continuous bus lane provision, bus travel times compare unfavourably relative to that for general traffic.

2.2 Focus on the customer

2.2.1 Percentage of public transport passengers satisfied with their public transport service




Non reporting period.

In December 2018, overall satisfaction with public transport services (91%) was unchanged compared with the September 2018 result (91%).

Satisfaction was unchanged compared with the December 2017 result.

2.2.2 Percentage of passengers satisfied with their train service




Non reporting period.

In December 2018, satisfaction with train services (92%) was down one percentage point compared with the September 2018 result (93%).

Satisfaction was down one percentage point compared with the December 2017 result.

2.2.3 Percentage of passengers satisfied with their bus service




Non reporting period.

In December 2018, satisfaction with bus services (90%) was down one percentage point compared with the September 2018 result (91%).

Satisfaction was down one percentage point compared with the December 2017 result.

2.2.4 Percentage of passengers satisfied with their ferry service




Non reporting period.

In December 2018, satisfaction with ferry services (90%) was up one percentage point compared with the September 2018 result (89%).

Satisfaction was unchanged compared with the December 2017 result.


2.2 Focus on the customer

2.2.5 Percentage of residents satisfied with the quality of roads in the Auckland region




Non reporting period.
 In December 2018, satisfaction with the quality of roads in Auckland (60%) was down two percentage points compared with the September 2018 result (62%).
 Satisfaction was down two percentage points compared with the December 2017 result.

2.2.6 Percentage of residents satisfied with the quality of footpaths in the Auckland region




Non reporting period.
 In December 2018, satisfaction with the quality of footpaths in Auckland (55%) was down two percentage points compared with the September 2018 result (57%).
 Satisfaction was down one percentage point compared with the December 2017 result.

2.2.7 Percentage of residents satisfied with the surface of all sealed roads in Auckland region



Non reporting period.
 In December 2018, satisfaction with the surface of all sealed roads in Auckland (62%) was down one percentage point compared with the September 2018 result (63%).
 Satisfaction was down two percentage points compared with the December 2017 result.


2.2.8 Percentage of residents satisfied with road safety in the Auckland region



Non reporting period.
 In December 2018, satisfaction with road safety in Auckland (57%) was down two percentage points compared with the September 2018 result (59%).
 Satisfaction was down four percentage points compared with the December 2017 result.

2.2 Focus on the customer

2.2.9 PT punctuality (weighted average across all modes)




Target exceeded (YTD average to February 2019 = 97.1%; SOI target 94.5%).

PT weighted average punctuality for the month of February 2019 was 95.8%.

Punctuality is measured by the percentage of total scheduled services leaving their origin stop no more than one minute early or five minutes late.


2.2.10 Rail services punctuality



Rail service punctuality in February 2019 was 98.6%, and 98.7% for the 12 months to February 2019.

Punctuality is measured by the percentage of total scheduled services leaving their origin stop no more than one minute early or five minutes late.

2.2.11 Bus services punctuality




Bus service punctuality in February 2019 was 95.1%, and 96.5% for the 12 months to February 2019.

Punctuality is measured by the percentage of total scheduled services leaving their origin stop no more than one minute early or five minutes late.

Punctuality statistics for bus services are based on the number of sighted scheduled bus journeys during the month.

2.2.12 Ferry services punctuality



Ferry service punctuality in February 2019 was 95.4% and 95.4% for the 12 months to February 2019.

Punctuality is measured by the percentage of total scheduled services leaving their origin stop no more than one minute early or five minutes late.

2.2 Focus on the customer

2.2.13 Rail service performance

Train Performance February 2019



Total Network

94.9% Punctuality*

96.2% 12 month rolling average

98.3% Service Delivery*

97.7% 12 month rolling average

* Arrival within 5 minutes of schedule at final destination

* Arrival at final destination

Western Line

94.3% Punctuality*

95.8% 12 month rolling average

98.7% Service Delivery*

97.2% 12 month rolling average

* Arrival within 5 minutes of schedule at final destination

* Arrival at final destination

Eastern Line

96.4% Punctuality*

97.5% 12 month rolling average

98.2% Service Delivery*

97.9% 12 month rolling average

* Arrival within 5 minutes of schedule at final destination

* Arrival at final destination

Southern Line

91.9% Punctuality*

94.8% 12 month rolling average

97.2% Service Delivery*

97.4% 12 month rolling average

* Arrival within 5 minutes of schedule at final destination

* Arrival at final destination

Pukekohe Line

97.3% Punctuality*

97.7% 12 month rolling average

99.4% Service Delivery*

99.1% 12 month rolling average

* Arrival within 5 minutes of schedule at final destination

* Arrival at final destination

Onehunga Line

96.2% Punctuality*

95.6% 12 month rolling average


98.6% Service Delivery*

97.7% 12 month rolling average

* Arrival within 5 minutes of schedule at final destination

* Arrival at final destination


2.2.14 Rail punctuality based on arrival at final destination



Punctuality in this figure is based on the percentage of rail services that arrive within 5 minutes of schedule at their final destination.

Using this measure, rail service punctuality for the month of February 2019 was 94.9% and 96.2% for the 12 months to February 2019.

2.2.15 Rail service delivery based on arrival at final destination




This measure is based on the percentage of rail services that arrive at their final destination.

Rail service delivery for the month of February 2019 was 98.3% and 97.7% for the 12 months to February 2019.

2.2 Focus on the customer

2.2.16 Percentage of Local Board members satisfied with Auckland Transport engagement




Non-reporting period.

Local board satisfaction was 56% for AT reporting to local board, and 42% for AT consultation with local board in 2017/18.

2017/18 targets for local board satisfaction with AT engagement is 60% for both reporting to local boards and consultation with local boards.

Local board satisfaction results, sourced from the Auckland Council Elected Members Survey, are not available every year as the survey is only undertaken every 18 months.

2.2.17 Percentage of customer service requests relating to roads and footpaths which receive a response within specified time frames




Target not met (12 month rolling average = 80.8%, SOI target of 85%). The February 2019 result was 83%.

These data relate to jobs dispatched to our maintenance contractors by the call centre. It does not include escalations or queries sent to the AT area engineer to resolve and then dispatch to the contractor. These data will become available when CRM15 allows for queuing and the measuring of individual response times in light of the organisation's 10 day customer response service level.

2.2 Focus on the customer

2.2.18 Call centre incoming calls and service levels




AT HOP
Call volumes increased by 25% compared with January 2019. The service level decreased by 5 percentage points compared with January 2019.

Auckland Council (AT-related calls) – 24 Hours
Call volumes increased by 6% compared with January 2019. The service level decreased by 20 percentage point compared with January 2019.

AT Metro Call Centre
Call volumes increased by 14% compared with January 2019, a decrease of 14% compared with February 2018. The service level was 17 percentage points lower compared with January 2019.

2.2.19 AT app user sessions



AT Mobile
App user sessions increased by 26.1% in February 2019 compared with January 2019, and increased by 81.2% compared with February 2018.


AT Park
App user sessions increased by 11.5% in February 2019 compared with January 2019.

Track my Bus
App user sessions increased by 31.9% in February 2019 compared with January 2019.

AT Metro
App user sessions decreased by 15.4% in February 2019 compared with January 2019.

AT Mobile was released in May 2017, combining the functionality of AT Metro and Track my Bus into one application. Support for AT Metro on iOS was terminated, indicating the sharp drop in AT Metro user sessions. Support for AT Metro (Android) and Track my Bus remains while users are still active.


2.2.20 Website visits



Visits to the Auckland Transport website totalled 1,425,539 in February 2019, an increase of 19.9% compared with January 2019.

2.3 Improve the safety of the transport system

2.3.1. Number of high risk intersections and sections of road addressed by Auckland Transport's safety programme




Non reporting period.

The 2018/19 target is to address ten high risk intersections or sections of road as part of the safety programme.

Projects scheduled for later this year are currently in detailed design and procurement phases.

2.3.2 Change from the previous financial year in the number of fatalities and serious injury crashes on the local road network




The Local Road DSI target for the 2018 calendar year is 681, 9 less than the 2017 total of 690.

The 12 month rolling total to November 2018 was 537, 21% lower than the target trajectory of 681.8, and 24% lower than for the 12 months to November 2017.

For the 12 months to the end of November 2018, local road deaths have decreased by 26% (from 57 to 42) and local road serious injuries have decreased by 23% (from 647 to 495).

Please note that there is a three month time lag for local road death and serious injuries information, and that monthly figures can vary over time due to Police investigation outcomes and reporting timelines.

2.3.3 Local road deaths and serious injuries (DSI) per 100 million vehicle km travelled (VKT)




Reported annually in June.

The Local Road DSI per 100 million VKT on local roads for the 2017 calendar year was 8.4. This is 3.5 more than the 2017/18 SOI target.

*The rate of local road deaths and serious injuries per 100 million vehicle kilometres travelled is an estimate of the exposure to crash-risk on the local road network, relative to vehicle travel.

2.4 Ensure value for money across Auckland Transport's activities


2.4.1 PT farebox recovery (combined result with SOI measure)



The farebox recovery percentage is calculated by dividing the revenue from passengers by the cost of providing PT services. The formula = (Fare Revenue + SuperGold Card Payment) / (Fare Revenue + Subsidy + SuperGold Card Payments + CFS Payments).

Total PT farebox recovery ratio in February 2019 was 44.2%, compared with 45.3% in February 2018.


2.4.2 PT farebox recovery (by mode)



The farebox recovery percentage is calculated by dividing the revenue from passengers by the cost of providing PT services. The formula = (Fare Revenue + SuperGold Card Payment) / (Fare Revenue + Subsidy + SuperGold Card Payments + CFS Payments).

The farebox recovery ratios for February 2019 (and comparable 2018 results) were:
 - Ferry 75.9% (79.5%)
 - Bus 41.6% (42.9%)
 - Rail 38.3% (39.1%)


2.4.3 PT subsidy per passenger kilometre



The net subsidy per passenger km is calculated by dividing the cost (less fare revenue) of providing PT services by the distance travelled by all passengers.

The results for February 2019 (and comparable 2018 results) were:
 - Bus \$0.388 (\$0.360)
 - Rail \$0.324 (\$0.290)
 - Ferry \$0.142 (\$0.111)
 - Total \$0.343 (\$0.312)


2.4.4 Percentage of the sealed road network that is resurfaced



Target not met.
 In February 2019, 55.5 km of the local road network was resurfaced / rehabilitated. The YTD completed length of 287.8 km is less than the forecasted YTD length of 340.0 km.
 The 2018/19 YTD completed length of 287.8 km is 67% of the 430 km 2018/19 programme.

2.4 Ensure value for money across Auckland Transport's activities


2.4.5 Proportion of road assets in acceptable condition



Target reported annually in March.

Proportion of road assets in acceptable condition is a new measure in the 2018/19 SOI.

2.4.6 Percentage of footpaths in acceptable condition



Target reported annually in March.

The 2017/18 result for the percentage of footpaths in acceptable condition was 99% (down half a percentage point from 2016/17).


2.4.7 Road maintenance standards (ride quality) as measured by smooth travel exposure (STE) for all urban roads



Target reported annually in March.

The 2017/18 result for road maintenance standards (ride quality) as measured by smooth travel exposure (STE) for all urban roads was 84% (down three percentage points from 2016/17).

2.4.8 Road maintenance standards (ride quality) as measured by smooth travel exposure (STE) for all rural roads



Target reported annually in March.

The 2017/18 result for road maintenance standards (ride quality) as measured by smooth travel exposure (STE) for all rural roads was 95% (up one percentage point from 2016/17).