




**STANDARD PRECAST
CONCRETE KERB WITH CHANNEL**




**PRECAST MOUNTABLE
CONCRETE KERB WITH CHANNEL**




**KERB & CHANNEL
EXTRUDED CONCRETE**




**MOUNTABLE KERB & CHANNEL
EXTRUDED CONCRETE**



MOUNTABLE NIB KERB



DISH CHANNEL



SUBSOIL DRAIN

NOTES:

1. CONCRETE GRADES:
 PRECAST KERB BLOCKS 25MPa
 INSITU CHANNEL AND HAUNCHING 25MPa
 EXTRUDED CONCRETE 25MPa
2. BEDDING:
 KERBING TO BE LAID ON 100mm MIN PAVEMENT CONSTRUCTION
 PAVEMENT LAYERS TO EXTEND UNDER KERB AND CHANNEL
3. JOINTING:
 PRECAST KERB 10mm MIN, NEATLY POINTED WITH CEMENT & MORTAR.
 EXTRUDED KERBS CRACKING CONTROL JOINTS FORMED OR SAW CUT AT MAX 4m INTERVALS TO COINCIDE WITH EVERY SECOND CONCRETE FOOTPATH JOINT IF ADJACENT TO.
4. THE SUBSOIL DRAIN IS TO CONNECT TO A DOWNSTREAM CATCHPIT



MANUKAU
City Council

DETAIL:

KERB AND CHANNEL DETAILS

Engineering
Quality
Standards

DETAIL No:
R11

MANUKAU CITY COUNCIL

UPDATED:
FEB 2007